

Body Cameras DrivePro[™] Body 20

Designed for military, law enforcement, and private security, the DrivePro Body 20 features video recording in 1080p Full HD for an exceptionally clear picture, and live-streaming to iOS and Android mobile devices through built-in Wi-Fi. The DrivePro Body 20 features a 160° field of view and f/2.8 aperture lens to capture detailed video evidence. The DrivePro Body 20 is also resistant to water and shock, making it perfect for both indoor and outdoor use.



Quick snapshot button

The quick snapshot button allows users to take photos while recording video simultaneously. During an incident, just reach up and discreetly press the snapshot button to capture photographic evidence on the spot.



Rugged and durable design

The DrivePro Body 20 is built to withstand extreme weather and brutal conditions, providing excellent protection for outdoor recording. It is IPX4 rated to offer protection against splashing water from any direction, and meets rigorous U.S. military drop-test standards for shock resistance.



Two holders included

The DrivePro Body 20 includes both a 360° rotatable clip and a Velcro holder for multiple usage scenarios. The 360° rotatable clip is suitable for most uniforms and jackets, whereas the Velcro holder can be easily attached to police vests, allowing users to be ready the instant duty calls.





Body Cameras DrivePro[™] Body 20

Features

- \cdot Built-in Wi-Fi function for live streaming
- · Built-in Battery

Transcend

toolbox.

- 360° rotatable clip and Velcro holder included
- F/2.8 aperture and 160° viewing angle for clear and smooth 1080P recordings

DrivePro Body

Toolbox

Transcend's DrivePro Body Toolbox is exclusively designed for the DrivePro Body series, featuring a user-friendly interface that allows users to securely manage recorded videos and snapshots on Windows PCs. In addition, users can adjust settings for both the toolbox and the DrivePro Body device, format the internal storage, and upgrade the body camera's firmware via the

 \cdot Quick snapshot button

Specification

Specification	
Appearance	
Dimensions (Max.)	88.4 mm x 52.2 mm x 19.4 mm (3.48" x 2.06" x 0.76")
Weight (Max.)	88 g (3.10 oz)
Interface	
USB Type	3.5mm plug to USB Type A
Connection Interface	USB 2.0
Storage	
Capacity	32GB internal memory
Hardware	
Viewing angle	160° (diagonal)
Aperture	F/2.8
Power	
Battery Life (Fully Charged)	3.5 hour(s)
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A
Format	
Resolution	Full HD 1080P
Frame Rate	30 fps
Video Format	MOV (H.264)
Operating Environme	
Operating Temperature	-20°C (-4°F) ~ 65°C (149°F)
Storage Temperature	-25°C (-13°F) ~ 70°C (158°F)
IP Rating	IPX4

Warranty

-	
Certificate	CE / FCC / BSMI / KC / NCC / MIC / EAC / RCM
Warranty	Two-year Limited Warranty

Ordering Information

32GB TS32	2GDPB20A
-----------	----------



Body Cameras Comparison













DrivePro™ Body 60

DrivePro™ Body 30

DrivePro[™] Body 52

52 DrivePro[™] Body 20

DrivePro[™] Body 10

Appearance							
Dimensions (Max.)	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")	88.4 mm x 52.2 mm x 17.4 mm (3.48" x 2.06" x 0.68")	88.4 mm x 52.2 mm x 19.4 mm (3.48" x 2.06" x 0.76")	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77"		
Camera Dimensions (Max.)	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")	-	40 mm x 40 mm x 20.35 mm (1.57" x 1.57" x 0.80")	-	-		
Weight (Max.)	167 g (5.89 oz)	130 g (4.59 oz)	84 g (2.96 oz)	88 g (3.10 oz)	88 g (3.10 oz)		
Camera Weight (Max.)	-	-	64 g (2.26 oz)	-	-		
Interface							
USB Туре	3.5mm plug to USB Type A	micro USB to USB Type A					
Connection Interface			USB 2.0				
Storage							
Capacity	64GB internal memory	64GB internal memory	32GB internal memory	32GB internal memory	32GB		
Hardware							
Viewing angle	130° (diagonal)	130° (diagonal)	130° (diagonal)	160° (diagonal)	130° (diagonal)		
Aperture	F/2.8	F/2.0	F/1.8	F/2.8	F/2.8		
Image Sensor	Exmor™	STARVIS™	Exmor™	Aptina™	STARVIS™		
Infrared LEDs	-	\checkmark	-	-	\checkmark		
Wi-Fi	\checkmark	\checkmark	\checkmark	\checkmark	-		
Bluetooth	\checkmark	\checkmark	-	-	-		
Microphone	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		
Vibration Alert	\checkmark	\checkmark	-	-	-		
Buffering Mode	\checkmark	\checkmark	-	-	-		
Event Recording	-	-	\checkmark	\checkmark	\checkmark		
Loop Recording	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		
Power							
Battery Life (Up to)	10 hour(s)	12 hour(s)	3.5 hour(s)	3.5 hour(s)	5 hour(s)		
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A						
Format							
Resolution	Full HD 1080P						
Frame Rate	30 fps	30/60 fps	30 fps	30 fps	30/60 fps		
Video Format	MP4 (H.264)	MP4 (H.264)	MOV (H.264)	MOV (H.264)	MP4 (H.264)		
Operating Environment							
IP Rating	IP67	IP67	IPX4	IPX4	IPX4		
Warranty							
Warranty		Two-year Limited Warranty					
	Note: Exmor/STARVIS	is a trademark of Sony (Corporation Antina is a	trademark of Antina Ima	ging Corporation		

Note: Exmor/STARVIS is a trademark of Sony Corporation. Aptina is a trademark of Aptina Imaging Corporation.